SUZUKI
MARINE
WORLD'S BEST 4-STROKE

GENUINE RIGGING-PARTS AND ACCESSORIES

AUSTRALIAN & NEW ZEALAND (EDITION 15~)

WELCOME TO THE 50TH ANNIVERSARY OF SUZUKI OUTBOARDS

We've been at the forefront of outboard technology since we created our first outboard D55 in 1965 and will be celebrating the 50th anniversary in 2015.

The engines used in our outboard motors have always been designed exclusively for marine use and we have continually brought original technologies to the market. We have lead the way with innovations such as the down thrust propeller system in 1965, developing the first ever stainless steel water pump housing in 1973, launching oil injection outboards in 1980, inventing ceramic fibre reinforced metal pistons in 1990, introducing the world's first 220.7kW (300PS) V6 four stroke outboard in 2006 and, in another world first, launching a keyless ignition system on the DF200AP.

We have come a long way since 1965 and our current range of four stroke outboards is second to none in the market place. Our engineers are passionate about boating and willing to spend all of their time perfecting our outboard motors so that our products enable you to maximise your time on the water. So, from the lightweight and portable DF2.5 to the award winning power of the DF300AP, we've got an outboard to suit your way of life.

1960s – D55

1970s – DT25

1980s – DT200 EXANTÉ

KEY MOMENTS IN OUR HISTORY:

1960s
Our first outboard, the D55, launched.

1966
Export of Suzuki Outboard Motors begins.

1980
We first invented oil injection for outboards, and introduced oil injection series DT85OI, DT115OI and DT140OI.

1985
DT150 and DT200, our first V6 models launched.

1987
DT200 Exanté wins the first "Most Innovative Products" award from the National Marine Manufacture's association (NMMA).

1990
DT225 added to V6 series and new Electronic Fuel Injection System introduced.

1994
Introduction of DF9.9 and DF15, our first four stroke outboards.

1997
Introduction of DF60 and DF70, our first four stroke outboards with Electronic Fuel Injection System. DF60 and DF70 win the "Innovation Award" from the International Marine Trades Exposition and Convention (IMTEC).

1998
Introduction of DF40 and DF50, our first four stroke outboards with DOHC 4 valves for each cylinder. DF40 and DF50 win the "Innovation Award" from the International Marine Trades Exposition and Convention (IMTEC), and it makes Suzuki the first manufacturer to receive this award two years in a row.

50th
1965-2015
Anniversary

1990s – DF70

2000s – DF300

2010s – DF200AP

2000
DF90 and DF115 marketed. These models are the first to utilise an offset drive shaft, making them the most compact outboards in their class.

2003
DF200/225/250, the first Suzuki four stroke V6 outboards launched. DF250 wins the "IMTEC Innovation Award".

2006
DF300 is the industry's first 220.7kW (300PS) V6 four stroke outboard, and the first outboard to utilise an electronic remote control. DF300 is the winner, the IBEX 2006 Innovation Award from The National Marine Manufacture's Association (NMMA).

2008
New generation four stroke DF70A/80A/90A debut. DF90A is the lightest, most compact outboard in 66.2kW (90PS) four stroke class and is the first outboard to utilise Suzuki Lean Burn Technology.

2010
New DF40A/50A win the "2011 NMMA Award for Innovation".

2011
New DF300AP is the world's first Selective Rotation outboard. DF300AP wins the "2012 NMMA Award for Innovation".

2012
Introduction of new generation DF15A/20A, the world's first outboards to feature battery-less Fuel Injection in the 11.0kW (15PS)/14.7kW (20PS) class. Suzuki was honored to be chosen as the sole supplier of outboard motors to the London 2012 Olympic and Paralympic Games Sailing Regatta.

2015
Launch of new DF200A/AP with world-leading keyless ignition technology.

Quality. Dependability. Innovation.

Everything that you expect from your outboard motors is delivered with style by SUZUKI. Demand no less from the products that you choose to enhance your total boating pleasure. Demand SUZUKI MARINE GENUINE ACCESSORIES. This catalogue represents our commitment to provide you with the finest products available. From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on SUZUKI MARINE GENUINE ACCESSORIES for optimum performance.

SUZUKI MARINE, AUSTRALIA AND NEW ZEALAND

MODEL NAME AND ENGINE NUMBER

NOTE: Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers. Please consult your local dealers regarding other models and their rigging-parts and accessories.

Model	Engine number
DF300AP	30002P-510001~
DF250AP	25003P-510001~
DF250T	25003F-510001~
DF250Z	25003Z-510001~
DF225T	22503F-510001~
DF225Z	22503Z-510001~
DF200AT	20003F-510001~
DF200AZ	20003Z-510001~
DF200AF	20003P-510001~
DF200T	20002F-510001~
DF200Z	20002Z-510001~

Model	Engine number
DF175T	17502F-510001~
DF175Z	17502Z-510001~
DF150T	15002F-510001~
DF150Z	15002Z-510001~
DF140AT	14003F-510001~
DF140AZ	14003Z-510001~
DF115AT	11503F-510001~
DF115AZ	11503Z-510001~
DF100AT	10003F-510001~
DF90A	09003F-510001~
DF80A	08002F-510001~

Model	Engine number
DF70A	07003F-510001~
DF60AV	06003F-510001~
DF60A	06002F-510001~
DF50A	05003F-510001~
DF40A	04003F-510001~
DF30A	03003F-510001~
DF25A	02504F-510001~
DF20A	02002F-510001~
DF15A	01504F-510001~
DF9.9A	00994F-510001~
DF8A	00801F-510001~

Model	Engine number
DF6	00602F-510001~
DF5	00502F-510001~
DF4	00402F-510001~
DF2.5	00252F-510001~
DT40W	04005-510001~
DT30	03005-510001~
DT15A	01504-510001~
DT9.9A	00996-510001~

REFERENCE

Part Number	Digits in bold are part numbers to be used for ordering
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers Per Hour
mph	Miles Per Hour
knots	Knots

CONTENTS

MULTI FUNCTION GAUGE	2
RIGGING KITS	4
SERVICE KITS	6
GARMIN	8
MODULAR INSTRUMENT SYSTEM	10
ANALOG INSTRUMENT	14
ELECTRONIC THROTTLE AND SHIFT SYSTEM	16
COMPONENT OF SUZUKI PRECISION CONTROL	18
MECHANICAL REMOTE CONTROL SYSTEM	20
STEERING	26
APPAREL	29
ELECTRICAL PARTS	30
ANODE & FUEL SYSTEM	31
FUEL SYSTEM	32
PROPELLER	34
CARE & MAINTENANCE ITEM	38
SPLASH COVERS	39
MARKETING	41
APPLICATION CHART	42

MULTI FUNCTION GAUGE

MAIN FEATURES

HIGH PERFORMANCE

- Multi-function gauge displays a wide variety of information such as engine rpm, speed, trim angle, as well as diagnostics based on digital data received from the outboard motor.
- Gauges offer great reliability utilizing Suzuki's original warning system to provide the operator with accurate warning information.
- NMEA2000® terminal offers compatibility with a wide range of marine equipment by other manufacturers.

SUPERIOR VISIBILITY

- First color LCD offered as genuine parts by an outboard manufacturer. Suzuki's next generation standard equipment gauge offers easy to use multi-function operation with superior readability.
- Easy to see, easy to read, easy to understand display offers a variety of modes including day and night modes and digital or analog readouts.

COMPACT

- Compact, highly versatile gauge requires an 85mm hole for mounting making them the perfect replacement for 4-inch analog gauges.

*1 4-inch gauges that require 85mm mounting holes (as researched by Suzuki).

*2 NMEA2000® is an NMEA (National Marine Electronics Association) standard communication protocol used for exchanging data between marine control units.

DESIGN

Analog/day mode

Digital/night mode

SPECIFICATIONS

- 3.5" Color display
- Size: 105mm(W)×105mm(H)×16mm(D)
- Diagnostic display
- Easy installation and setup Φ85mm hole & large resin nut
- Includes protective cover
- NMEA2000 output (pending)
- Applicable models: DF9.9B-DF300AP

* Speed sensor or GPS module will be required in order to display the speed.

INFORMATION

- Fuel flow [l/h, gph] (instantaneous)
- Mileage [km/l, mpg] (instantaneous and average)
- Trip time [h], Trip distance [km, M, NM]
- Engine hour, Voltage, Water temp and more...

*Design and specifications may change without notice due to improvements in performance and function.

DISPLAY VARIATIONS

Analog all

Analog speed (night)



Digital all

Digital tacho (night)

UZUKI
200

RIGGING KITS

Whether you're looking for optional parts to enhance your boating experience or spare parts for maintenance, we offer a wide selection of parts and accessories designed to complement your Suzuki outboard motor.

RIG KITS DF40 TO DF250

RIGSSM
Single Side Mount Rig Kit
Standard side mount control box with key switch, harness 6.5m & associated fitting components

RIGTSM
Twin Side Mount Rig Kit
2 x Standard side mount control box with key switch, 2 x harness 6.5m & associated fitting components

RIGSB
Single Binnacle Rig Kit
Single binnacle control box, harness 6.5m, single key switch

RIGDB
Dual Binnacle Rig Kit
Dual binnacle control box, harness 6.5m, single key switch

RIGCSM
Concealed Side Mount Rig Kit
Concealed control box, harness 6.5m, Single Key Switch

ANALOGUE GAUGE KIT

RIGANB or RIGANW
Black or White Analogue Gauge Kit
Black or White gauge, tacho, speedo, trim

RIGADB or RIGADW
Black or White Dual Analogue Gauge Kit
Black or White gauges, 2x tacho, speedo, 2 x trim

DIGITAL INTERFACE KITS

RIGSDI
Single Engine Digital Interface Kit
Interface cable, warning light panel, harness 6.5m

RIGDDI
Dual Engine Digital Interface Kit
2 x Interface cable, 2 x warning light panel, 2 x harness 6.5m

Note: For detailed listing of kits please refer to Netsuite or Excel price list

FORWARD CONTROL KITS

Kit contains: Control Box, Harness, Attaching Kit and Associated Fitting Components

RIGDF8FC
Forward control attaching kit for DF8A

RIGDF9.9FC
Forward control attaching kit for DF9.9A

RIGDF15/20FC
Forward control attaching kit for DF15A/20A

RIGDF25FC
Forward control attaching kit for DF25 v-twin model

RIGDT30FC
Forward control attaching kit for DT30

RIGDT40FC
Forward control attaching kit for DT40

RIG KITS DF150TG/175TG/200AP + 250AP/300AP

RIGSPCCON
Single Engine Single Station Concealed
Concealed control box, harness 9.5m, single key switch, interface cable & associated fitting components

RIGSPCSE
Single Engine Single Station
Single binnacle control box, harness 9.5m, single key switch, 1 x interface cable & associated fitting components

RIGSPCDE
Dual Engine Single Station
Dual binnacle control box, harness 9.5m, dual key switch, 2 x interface cable & associated fitting components

RIGSPCSEDS
Single Engine Dual Station
Single binnacle control box, harness, single key switch, interface cable & associated fittings components

RIGSPCDEDS
Dual Engine Dual Station
2 x Dual binnacle control box, harness, 2 x dual key switch, 2 x interface cables & associated fittings components

RIGSPCTE
Triple Engine Single Station
Dual binnacle control box, harness, triple key switch, 3 x interface cables & associated fittings components

RIGSPCTEDS
Triple Engine Dual Station
2 x Dual binnacle control box, harness, 2 x triple key switch, 3 x interface cables & associated fittings components

RIGSPCQE
Quad Engine Single Station
Dual binnacle control box, harness, quad key switch, 4 x interface cables & associated fittings components

RIGSPCQEDS
Quad Engine Dual Station
2 x Dual binnacle control box, harness, 2 x quad key switch, 4 x interface cables & associated fittings components

CONTROL SYSTEM

Single ignition key switch

Dual ignition key switch

Standard side-mount control box

Concealed side-mount control box

Single binnacle

Dual binnacle

DIGITAL THROTTLE & SHIFT

Single engine start/stop control

Dual engine start/stop control

Concealed side-mount

Single binnacle

Dual/triple/quad binnacle

ANALOGUE GAUGES

Tachometer

Speedometer

Tachometer

Speedometer

Fuel gauge

Trim gauge

Volt meter

Fuel gauge

Trim gauge

Volt meter

PROPS

Four blade props available for DF150 to DF300AP



Three blade stainless-steel props available

SERVICE KITS

Suzuki Marine Genuine Service Kits are suitable for all four stroke models. Contains all recommended parts for your yearly service. *Note: For kit contents – refer to current price list.*

ANNUAL SERVICE KITS

KITSER-97J06-100
DF2.5 Service Kit 06~10

KITSER-97J12-000
DF2.5 Service Kit 12~

KITSER-91J02-100
DF4/5/6 Service Kit 02~10

KITSER-91J11-000
DF4/5/6 Service Kit 11

KITSER-99J10-000
DF8A/9.9A Service Kit 10~

KITSER-94J96-040
DF9.9/15 Service Kit 96~04

KITSER-94J05-060
DF9.9/15 Service Kit 05~06

KITSER-94J07-100
DF9.9/15 Service Kit 07~10

KITSER-94J11-012
DF15 Service Kit 11~12

KITSER-89L13-000
DF15A/20A Service Kit 13~

KITSER-90L90-012
DT9.9/15 Service Kit 90~12

KITSER-90L13-000
DT9.9/15 Service Kit 13

KITSER-95J06-000
DF25 V-Twin Service Kit 06~

KITSER-89J00-070
DF25/30 Service Kit 00~07

KITSER-94L15-000
DF25/30A Service Kit 15~

KITSER-91L01-012
DT30 Service Kit 01~12

KITSER-91L13-014
DT30 Service Kit 13~14

KITSER-91L15-000
DT30 Service Kit 15~

KITSER-92L01-012
DT40 Service Kit 01~12

KITSER-92L13-000
DT40 Service Kit 13~

KITSER-87J06-100
DF40/50 Service Kit 06~10

KITSER-88L10-000
DF40A/50A/60A Service Kit 10~

KITSER-88L14-000
DF60AV Service Kit 14~

KITSER-99E98-070
DF60/70 Service Kit 98~07

KITSER-99E08-090
DF60/70 Service Kit 08~09

KITSER-87L09-000
DF70A/80A/90A Service Kit 09~

KITSER-90J01-060
DF90/115 Service Kit 01~06

KITSER-90J07-080
DF90/100/115 Service Kit 07~08

KITSER-90J09-012
DF100/115 Service Kit 09~12

KITSER-92J02-060
DF140 Service Kit 02~06

KITSER-92J07-080
DF140 Service Kit 07~08

KITSER-92J09-012
DF140 Service Kit 09~12

KITSER-92J13-000
DF100A/115A/140A Service Kit 13~

KITSER-96J06-000
DF150 Service Kit 06~

KITSER-96J06-000 DF175
DF175 Service Kit 06~

KITSER-96J15-000
DF200A Service Kit 15~

KITSER-93J04-000
DF200/225 Service Kit 04~

KITSER-93J04-000 DF250
DF250 Service Kit 04~

KITSER-98J07-000
DF250A/300/300A Service Kit 07~

Keep it real

SUZUKI MARINE GENUINE SERVICING

OIL CHANGE/6 MONTH SERVICE KITS

KIT20H-97J06-000
DF2.5 06~

KIT20H-91J02-000
For DF4/5/6 02~ 12

KIT20H-99J10-000
DF8A/9.9A 10~

KIT20H-99J10-000
DF 8A/9.9A Service Kit 10~

KIT20H-94J96-100
For DF9.9/15 96~10

KIT20H-94J11-000
For DF15 11~

KIT20H-89L13-000
For 15A/20A 13~

KIT20H-95J06-000
For DF25 V-TWIN 06~
DF25/30 00-08 DF40/50 99~
DF40A/50A/60A 10~ DF60/70 98~

KIT20H-87L09-100
For DF70A/80A/90A 09~10

KIT20H-87L11-000
For DF70A/80A/90A 11~

KIT20H-90J01-000
For DF90/100/115 01~ & DF140 13~

KIT20H-92J02-000
For DF140 02~

KIT20H-96J06-000
DF150/175 06~

KIT20H-93J04-000
For DF200/225/250 04~ DF300 07~

Note: For detailed listing of kits please refer to Netsuite or Excel price list

SUZUKI
200

GARMIN

GAR-010-01140-00
GMI20 4" colour marine instrument display designed to show depth, speed, wind and 100+ marine and vessel parameters

GPSMAP 7400xsv Series
Chartplotter/Sonar Combo with Built in 1kW dual CHIRP sonar, DownVu & SideVu, FUSION-link media interface, Autopilot compatibility, radar support and NMEA 2000/wifi connectivity

GAR-010-01379-02
7" GPSMAP 7407xsv

GAR-010-01305-02
8" GPSMAP 7408xsv

GAR-010-01306-02
10" GPSMAP 7410xsv

GAR-010-01307-02
12" GPSMAP 7412xsv

GAR-010-01103-00
GPS Map751 (Chartplotter only)

GAR-010-01103-01
GPS Map 751XS

Combination chartplotter/sounder with media interface and auto pilot compatibility, radar support and NMEA 2000/wifi connectivity

ADAPTER HARNESS & WARNING PANEL

990C0-88802-HSM
Warning light panel for digital gauges

GPS RECEIVER MODULE WITH A T-CONNECTOR

GAR-010-01010-10
Displays the accurate location and speed on multi-function gauges. Highly accurate receiver/antenna provides 10HZ update rates for position, velocity and time data

TRANSDUCER

GAR-010-10192-21
P66 Plastic transom mount 600w 200/50 khz

GAR-010-10194-21
P319 Plastic through hull 600w 200/50 khz

GAR-010-11928-20
TM150 Transom mount 300w 95/155

GAR-010-12223-00
GT51M-TM 600w CHIRP suits GPSMAP74XXxsv series

GAR-010-12222-00
GT50M-TM 300w CHIRP suits GPSMAP74XXxsv series

STARTER KIT

GAR-010-11442-HSM
NMEA starter kit

1 x backbone/drop cable, 2 x T-pieces, 1 power cable, male & female terminators

COMPONENT OF SUZUKI MODULAR INSTRUMENT SYSTEM

ENGINE INTERFACE

The most important part of the SMIS data system. DF150TG/ZG/175TG/ZG/ 200AP/250AP/300AP connect to the system, using Engine Interface Adapter.

ENGINE INTERFACE UNIT WITH A T-CONNECTOR

34922-88L04-000

SMIS ADAPTER

36668-88L00-000
for DF40A-250 with analog gauge system to add on digital gauges.1.8m

36668-88L00-HSM
for DF40A-250 with analog gauge system to add on digital gauges.6.5m

36660-89L00-000
for DF40A-250 with analog gauge system to add on digital gauges.7.1m

ENGINE INTERFACE ADAPTER

36661-98J10-000
for single DF150TG/ZG/175TG/ZG/200AP 250AP/300AP

36661-98J20-000
for dual DF150TG/ZG/175TG/ZG/200AP 250AP/300AP

36661-98J30-000
for triple DF150TG/ZG/175TG/ZG/200AP 250AP/300AP

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

SMIS POWER CABLE WITH A T-CONNECTOR

GAR-010-1079-000

POWER NODE WITH A T-CONNECTOR

36663-88L10-000
Allows network to be powered from multiple power sources (key switch, accessory switch, etc...). For multiple (2 or 3) engines of DF9.9B-250

CONNECTION HARDWARE

T-CONNECTOR

GAR-010-11078-000
T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR MALE

GAR-010-11080-000
120-ohm terminators are required for any open cable ends in the system.

TERMINATOR FEMALE

GAR-010-11081-000
120-ohm terminators are required for any open cable ends in the system.

ADAPTER HARNESS TO N NETWORK

36666-88L00-000
(Black network to Blue devices)
Allows connection to other NMEA devices (Device NET).

ADAPTER HARNESS TO L NETWORK

36666-88L10-000
(Blue network to Black devices)

SENSORS

FLUID LEVEL SENSOR WITH A T-CONNECTOR

34810-88L00-000
Monitors the fluid levels such as fuel, live well water level. etc. 10ft cable.

SPEED SENSOR WITH A T-CONNECTOR

34190-88L00-000
Paddle wheel-type speed sensor. 10ft cable.

WATER PRESSURE SENSOR WITH A T-CONNECTOR

34960-88L00-000

WATER TEMPERATURE SENSOR WITH A T-CONNECTOR

34455-88L00-000
Surface-water temperature sensor. 10ft cable.

34455-88L10-000
(Thru-hull type)

GPS RECEIVER MODULE WITH A T-CONNECTOR

39950-88L00-000
Displays the accurate location and speed on multi-function gauges.

CONNECTION CABLE

The extension cable is the main line of SMIS. Data communication runs the length of the boat, capped at each and with a 120-ohm terminator. NMEA2000® compatible sensors or other devices can be added by the use of T-connectors throughout the system.

EXTENSION CABLE

36662-88L10-000
2 feet cable

36662-88L20-000
6 feet cable

36662-88L30-000
15 feet cable

36662-88L00-000
25 feet cable

GAR-010-11076-00
2m cable

GAR-010-11076-01
6m cable

GAR-010-11076-02
10m cable

CONNECTION FOR SUZUKI MODULAR INSTRUMENT SYSTEM

Example of Connection for DF150TG/ZG/175TG/ZG/200AP/250AP/300AP with S.M.I.S. Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines and stations, and all optional items)

NOTE: (*1): The required or recommended quantities are shown. Numbers in round-parentheses show the required ones if equipped.

NOTE: (*2): While some of SMIS items have a T-connector in the package, the total number of the T-connectors enclosed

NOTE: (*1): in them may be short to the required quantity.

NOTE: (*3): SMIS adapter is required only for DF9.9B/15A/20A and DF25A/30A.

Category	Ref. #	Part name	Number of T-connector included	Contents of gauge kit		Engine(s)												Part number
						1	2	3	1			2			3			
						Station(s)												
						1	1	1	2			2			2			
				4"	2"				total	1st	2nd	total	1st	2nd	total	1st	2nd	
SMIS multi-function gauge	①	4" SMIS Multi-Function Gauge with a gray bezel	1	**1**		1	2	3	**2**	1	1	**4**	2	2	**6**	3	3	34200-88L02-000
		4" Gauge Kit	3	**KIT**														34011-88L04-000
	②	2" SMIS Multi-Function Gauge with a gray bezel	1		**1**	1	2	3	**2**	1	1	**4**	2	2	**6**	3	3	34800-88L01-000
Engine interface	③	Engine Interface unit	1	**1**	**1**	1	2	3	**1**	1		**2**	2		**3**	3		34922-88L03-000
	④	Engine Interface Adapter for single	0			1			**1**	1								36661-98J10-000
		Engine Interface Adapter for dual	0				1					**1**	1					36661-98J20-000
		Engine Interface Adapter for triple	0					1							**1**	1		36661-98J30-000
Power cable	⑤	Power cable	1	**1**	**1**	1	1	1	**1**	1		**1**	1		**1**	1		36663-88L00-000
Connection cable	⑥	Extension cable – 2 feet	0			1	2	3	**2**	1	1	**3**	2	1	**4**	3	1	36662-88L10-000
		Extension cable – 6 feet	0															36662-88L20-000
		Extension cable – 15 feet	0															36662-88L30-000
		Extension cable – 25 feet	0															36662-88L00-000
Connection hardware	⑦	T-Connector (*2)	1	**3**	**3**	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000
	⑧	Terminator Female	0	**1**	**1**	1	1	1	**1**		1	**1**		1	**1**		1	36665-88L00-000
	⑨	Terminator Male	0	**1**	**1**	1	1	1	**1**	1		**1**	1		**1**	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
Sensor		Fluid level sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water temperature sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water temperature sensor (thru-hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water pressure sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS receiver module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
Optional trim		4" bezel, chrome	0															34193-88L00-000
		4" bezel, white	0															34193-88L20-000
		2" bezel, chrome	0															34193-88L40-000
		2" bezel, white	0															34193-88L60-000

SINGLE ENGINE DF150TG/ZG/175TG/ZG/200AP/250AP/300AP



DUAL ENGINE OF DF150TG/ZG/175TG/ZG/200AP/250AP/300AP



TRIPLE ENGINE OF DF150TG/ZG/175TG/ZG/200AP/250AP/300AP



Example of Connection for DF9.9B-250 with S.M.I.S. Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines' and stations', and all optional items)

Category	Ref. #	Part name	Number of T-connector included	Contents of gauge kit		Engine(s)												Part number
						1	2	3	1			2			3			
						Station(s)												
						1	1	1	2			2			2			
				4"	2"				total	1st	2nd	total	1st	2nd	total	1st	2nd	
SMIS multi-function gauge	①	4" SMIS Multi-Function Gauge with a gray bezel	1	**1**		1	2	3	**2**	1	1	**4**	2	2	**6**	3	3	34200-88L02-000
		4" Gauge Kit	3	**KIT**														34011-88L04-000
	②	2" SMIS Multi-Function Gauge with a gray bezel	1		**1**	1	2	3	**2**	1	1	**4**	2	2	**6**	3	3	34800-88L01-000
Engine interface	③	Engine Interface unit	1	**1**	**1**	1	2	3	**1**	1		**2**	2		**3**	3		34922-88L03-000
Power cable	⑤	Power cable	1	**1**	**1**	1	1	1	**1**	1		**1**	1		**1**	1		36663-88L00-000
	⑩	Power node for multiple engine of DF40–250 only	1				1	1				**1**	1		**1**	1		36663-88L10-000
Connection cable	⑥	Extension cable – 2 feet	0			1	2	3	**2**	1	1	**3**	2	1	**4**	3	1	36662-88L10-000
		Extension cable – 6 feet	0															36662-88L20-000
		Extension cable – 15 feet	0															36662-88L30-000
		Extension cable – 25 feet	0															36662-88L00-000
Connection hardware	⑦	T-Connector (*2)	1	**3**	**3**	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000
	⑧	Terminator Female	0	**1**	**1**	1	1	1	**1**		1	**1**		1	**1**		1	36665-88L00-000
	⑨	Terminator Male	0	**1**	**1**	1	1	1	**1**	1		**1**	1		**1**	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
Sensor		Fluid level sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water temperature sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water temperature sensor (thru-hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water pressure sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS receiver module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
Optional trim		4" bezel, chrome	0															34193-88L00-000
		4" bezel, white	0															34193-88L20-000
		2" bezel, chrome	0															34193-88L40-000
		2" bezel, white	0															34193-88L60-000
Adapter cable	⑪	SMIS adpater	0			1	2	3	**1**	1		**2**	2		**3**	3		36660-89L01-000

SINGLE ENGINE OF DF9.9B-250



DUAL ENGINE OF DF9.9B-250



TRIPLE ENGINE OF DF9.9B-250



: Single Station : First & Second Station

ANALOG INSTRUMENT

TACHOMETER

34200-93J12-000 (White)

34200-93J00-000 (Black)

Gauge size	4”
Applicable model	DF25A-250

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J51-000 (White)

34200-93J40-000 (Black)

Gauge size	4”
Applicable model	DF40A-140A/200A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

34200-93J32-000 (White)

34200-93J20-000 (Black)

Gauge size	4”
Applicable model	DF8-30A, DT30/40W

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

FUEL GAUGE

34300-93J11-000 (White)

34300-93J00-000 (Black)

Gauge size	2”
Applicable model	DF8A-250, DT30/40

FUEL GAUGE alone works with the US Standard 250Ω sending unit. Use the 150Ω adaptor to connect the gauge to a European standard sending unit.

WARNING LIGHT INFORMATION

Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or other cautions on S.D.S
TEMP	Overheat (over-revolution)
OIL	Low oil-pressure (over-revolution)
	Oil change reminder
REV LIMIT	Over-revolution/troll mode

TRIM GAUGE

34800-93J11-000 (White)

34800-93J00-000 (Black)

Gauge size	2”
Applicable model	DF25A-250

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

HOUR METER

34500-93J11-000 (White)

34500-93J00-000 (Black)

Gauge size	2”
Applicable model	DF8A-250, DT30/40

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

VOLTMETER

34600-93J11-000 (White)

34600-93J00-000 (Black)

Gauge size	2”
Applicable model	DF8A-250, DT30/40

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE

34650-93J31-000 (White)

34650-93J20-000 (Black)

Gauge size	2”
Applicable model	DF40A-250

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.

SPEEDOMETER SENDER ASSY

34190-95500-000

34190-87D00-000

SPEEDOMETER

34100-93J11-000 (White)

34100-93J00-000 (Black)

Gauge size	4”
Maximum speed	130km/h, 80mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J31-000 (White)

34100-93J20-000 (Black)

Gauge size	4”
Maximum speed	80km/h, 50mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J51-000 (White)

34100-93J40-000 (Black)

Gauge size	4”
Maximum speed	80km/h, 45knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

34100-93J60-000 (White)

Gauge size	4”
Maximum speed	120km/h, 65knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

INSTALLATION KIT for WATER-PRESSURE GAUGE

34660-90J02-000

Application model DF40A-140A

34660-93J00-000

Application model DF200-250

KIT includes fi ttings and hoses needed for motor to gauge connection.

34660-96J00-000

Application model DF150-175/200A

ELECTRONIC THROTTLE AND SHIFT SYSTEM

- Computerized Drive by Wire system of the Suzuki Precision Control (SPC) eliminates wiring friction losses and allows smooth and superior handling. As a result, SPC makes smooth and linear control from start and at low speed.
- By the control panel operation(included remote-control kits), you can start and stop the engine and change a steering station with multiple engines you can control the synchronization of an engine rev and change the tilt angles.
- Not only DF300A/250A, but also DF150TG/ZG, AF175TG/ZG are suitable for this system.
- Chrome plating finish for better rust resistance
- Applicable to maximum 2 station and maximum 4 engines
- 8 kinds of rigging parts kits are available for your convenience to select all necessary parts for your requirements.

67200-98J03-000
BINNACLE MOUNT R/C BOX
for SINGLE ENGINE

67200-98J22-000
FLUSH MOUNT R/C BOX
for SINGLE ENGINE

67200-98J13-000
BINNACLE MOUNT R/C BOX
for DUAL ENGINE

REMOTE-CONTROL KIT for **SINGLE ENGINE**

	Part number	Part name	Length	KIT 1st Station 67000-98J09-000 BINNACLE-MOUNT CONTROL KIT	KIT 1st Station 67000-98J68-000 FLUSH-MOUNT CONTROL KIT	KIT 2nd Station 67000-98J19-000 2ND-STATION CONTROL KIT	Total required quantity SINGLE STATION	Total required quantity DUAL STATION
①	67200-98J03-000	BINNACLE MOUNT R/C BOX		1	–	1	1	2
	67200-98J22-000	FLUSH MOUNT R/C BOX		–	1	–		
②	37100-98J11-000	CONTROL PANEL		1	1	1	1	2
③	37100-98J04-000	MAIN SWITCH PANEL		1	1	–	1	1
④	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	1	2
⑤	38500-93J90-000	WARNING BUZZER		1	1	1	1	2
	09407-08401-000	WARNING-BUZZER CLAMP		1	1	1	1	2
	36770-98J10-000	BOAT CONTROL MODULE		1	1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	1	2
⑥	36776-98J00-000	BCM HOLDER (R)		1	1	1	1	2
	33911-88BL0-000	BCM-CONNECT CAP		1	1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	1	2
⑦	33926-98J00-000	TERMINAL RESISTOR		2	2	–	2	2
⑧	36625-98J10-000	BATTERY-LEAD		1	1	–	1	1
⑨	36623-98J20-000	BCM #1 WIRING HARNESS		1	1	–	1	1
⑩	36622-98J00-000	DUAL-STATION WIRING HARNESS		–	–	1	–	1
⑪	36624-98J02-000	BCM #2 WIRING HARNESS		–	–	1	–	1
⑫	37803-93J04-000	EMERGENCY SWITCH PANEL		–	–	1	–	1
–	09403-13402-000	HARNESS CLAMP		10	10	10	–	–
	36620-98J30-000	MAIN WIRING HARNESS	6.5m				1	2
*⑬	36620-98J40-000		9.5m					
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m				–	–

REMOTE-CONTROL KIT for **DUAL ENGINE**

	Part number	Part name	Length	KIT 1st Station 67000-98J29-000 BINNACLE-MOUNT CONTROL KIT	KIT 2nd Station 67000-98J39-000 2ND-STATION CONTROL KIT	Total required quantity SINGLE STATION	Total required quantity DUAL STATION
①	67200-98J03-000	BINNACLE MOUNT R/C BOX		1	1	1	2
②	37100-98J21-000	CONTROL PANEL		1	1	1	2
③	37100-98J04-000	MAIN SWITCH PANEL		1	1	1	1
④	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
⑤	38500-93J90-000	WARNING BUZZER		1	1	1	2
	09407-08401-000	WARNING-BUZZER CLAMP		1	1	1	2
	36770-98J10-000	BOAT CONTROL MODULE		1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	2
⑥	36776-98J00-000	BCM HOLDER (R)		1	1	1	2
	33911-88BL0-000	BCM-CONNECT CAP		1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	2
⑦	33926-98J00-000	TERMINAL RESISTOR		2	–	2	2
⑧	36625-98J10-000	BATTERY-LEAD		1	–	1	1
⑨	36623-98J30-000	BCM #1 WIRING HARNESS		1	–	1	1
⑩	36622-98J00-000	DUAL-STATION WIRING HARNESS		–	1	–	1
⑪	36624-98J11-000	BCM #2 WIRING HARNESS		–	1	–	1
⑫	37803-93J04-000	EMERGENCY SWITCH PANEL		–	1	–	1
–	36621-98J00-000	ENGINE WIRING HARNESS		1	–	1	1
–	09403-13402-000	HARNESS CLAMP		15	10	–	–
	36620-98J30-000	MAIN WIRING HARNESS	6.5m			1	2
*⑬	36620-98J40-000		9.5m				
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m			–	–

*⑬ *is not included these kits.*
Please purchase these items separately.



REMOTE-CONTROL KIT for TRIPLE ENGINE				KIT		Total required quantity	
				1st Station	2nd Station		
	Part number	Part name	Length	67000-98J49-000 BINNACLE-MOUNT OR FLUSH-MOUNT CONTROL KIT	67000-98J59-000 2ND-STATION CONTROL KIT	SINGLE STATION	DUAL STATION
①	67200-98J13-000	BINNACLE MOUNT R/C BOX				1	2
②	37100-98J31-000	CONTROL PANEL		1	1	1	2
③	37100-98J04-000	MAIN SWITCH PANEL		1	–	1	1
④	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
⑤	38500-93J90-000	WARNING BUZZER		1	1	1	2
	09407-08401-000	WARNING-BUZZER CLAMP		1	1	1	2
	36770-98J10-000	BOAT CONTROL MODULE		1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	2
⑥	36776-98J00-000	BCM HOLDER (R)		1	1	1	2
	33911-88BL0-000	BCM-CONNECT CAP		1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	2
⑦	33926-98J00-000	TERMINAL RESISTOR		2	–	2	2
⑧	36625-98J10-000	BATTERY-LEAD		1	–	1	1
⑨	36623-98J30-000	BCM #1 WIRING HARNESS		1	–	1	1
⑩	36622-98J00-000	DUAL-STATION WIRING HARNESS		–	1	–	1
⑪	36624-98J11-000	BCM #2 WIRING HARNESS		–	1	–	1
⑫	37803-93J04-000	EMERGENCY SWITCH PANEL		–	1	–	1
–	36621-98J00-000	ENGINE WIRING HARNESS		1	–	1	1
–	09403-13402-000	HARNESS CLAMP		18	10	–	–
	36620-98J30-000	MAIN WIRING HARNESS	6.5m			1	2
*⑬	36620-98J40-000		9.5m				
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m			–	–

REMOTE-CONTROL KIT for QUADRUPLE ENGINE				KIT		Total required quantity	
				1st Station	2nd Station		
	Part number	Part name	Length	67000-98J71-000 BINNACLE-MOUNT OR FLUSH-MOUNT CONTROL KIT	67000-98J81-000 2ND-STATION CONTROL KIT	SINGLE STATION	DUAL STATION
①	67200-98J13-000	BINNACLE MOUNT R/C BOX		1	1	1	2
②	37100-98J21-000	CONTROL PANEL		2	2	2	4
③	37100-98J04-000	MAIN SWITCH PANEL		1	–	1	1
④	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
⑤	38500-93J90-000	WARNING BUZZER		2	2	2	4
	09407-08401-000	WARNING-BUZZER CLAMP		2	2	2	4
	36770-98J20-000	BOAT CONTROL MODULE		2	2	2	4
	36775-98J00-000	BCM HOLDER (L)		2	2	2	4
⑥	36776-98J00-000	BCM HOLDER (R)		2	2	2	4
	33911-88BL0-000	BCM-CONNECT CAP		2	2	2	4
	33925-93J00-000	BCM CUSHION		2	2	2	4
⑦	33926-98J00-000	TERMINAL RESISTOR		4	–	4	4
⑧	36625-98J10-000	BATTERY-LEAD		2	–	2	2
⑨	36623-98J40-000	BCM #1 WIRING HARNESS		1	–	1	1
⑩	36622-98J00-000	DUAL-STATION WIRING HARNESS		–	2	–	2
⑪	36623-98J40-000	BCM #2 WIRING HARNESS		–	1	–	1
⑫	37803-93J04-000	EMERGENCY SWITCH PANEL		–	1	–	1
–	36621-98J00-000	ENGINE WIRING HARNESS		2	–	2	2
–	09403-13402-000	HARNESS CLAMP		20	15	–	–
	36620-98J30-000	MAIN WIRING HARNESS	6.5m			2	4
*⑬	36620-98J40-000		9.5m				
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m			–	–

*⑬ *is not included these kits.*
Please purchase these items separately.

COMPONENT OF SUZUKI PRECISION CONTROL

Applicable model
DF150TG/ZG/175TG/ZG/200AP/250AP/300AP

MAIN SWITCH PANEL

37100-98J04-000

Single ignition with Emergency-stop switch

CONTROL PANEL

37100-98J11-000
for Single-Engine

37100-98J21-000
for Dual-Engine

37100-98J31-000
for Triple-Engine

BOAT CONTROL MODULE (BCM)

36770-98J10-000

36770-98J20-000
for Quadruple engines

BCM HOLDER (L/R)



36770-98J10-000

36776-98J00-000

BCM-CONNECT CAP

33911-88BL0-000

BCM CUSHION

33925-93J00-000

MAIN WIRING HARNESS

36620-98J30-000
6.5 meters for control system

36620-98J40-000
9.5 meters for control system

ENGINE WIRING HARNESS

36621-98J00-000
for Dual engines

36621-98J10-000
for Triple engines

DUAL-STATION WIRING HARNESS

36622-98J00-000
for Dual-station control system

BATTERY LEAD

36625-98J10-000
6.5 meters

TERMINAL RESISTOR

33926-98J00-000

BCM #1 WIRING HARNESS

36623-98J20-000
for Single engine & Single (First) station

36623-98J30-000
for Dual or Triple engines & Single (First) station

36623-98J40-000
for Quadruple engines

BCM #2 WIRING HARNESS

36624-98J02-000
for Single engine and Second station

36624-98J11-000
for Dual or Triple engines & Second station

36623-98J40-000
for Quadruple engines & Second station

MAIN WIRING HARNESS EXTENSION

36620-98J50-000
2.0 meters for control system
Applicable model: DF150TG/ZG/175TG ZG/250AP/300AP

36620-98JSP-EC1
6.5 meters for control system
Applicable model: DF150TG/ZG/175TG/ZG/

36620-98JSP-EC2
9.5 meters for control system
Applicable model: DF150TG/ZG/175TG/ZG/ 250AP/300AP
250AP/300AP

MECHANICAL REMOTE CONTROL SYSTEM



REMOTE-CONTROL KIT for SINGLE ENGINE + SINGLE STATION

	Part number		Part name	Length	KIT: 1st Station 67000-93J05-000 BINNACLE-MOUNT CONTROL KIT	KIT: 1st Station 67000-93J49-000 BINNACLE-MOUNT CONTROL KIT	KIT: 1st Station 67000-93J49-000 BINNACLE-MOUNT CONTROL KIT	KIT: 1st Station 67000-93J90-000 FLUSH-MOUNT CONTROL KIT	KIT: 1st Station 67000-93J80-000 SIDE-MOUNT CONTROL KIT	Total required quantity
	67200-93J13-000	067	BINNACLE MOUNT R/C BOX		1	1	–	–	–	
①	67200-93J32-000	069	FLUSH MOUNT R/C BOX		–	–	1	1	–	1
	67200-93J50-000		SIDE MOUNT R/C BOX		–	–	–	–	1	
	37803-93J04-000	076	EMERGENCY SWITCH PANEL		–	–	–	–	–	
②	37803-99E04-000		EMERGENCY SWITCH PANEL		–	–	–	–	–	1
	37100-96J00-000	075	IGNITION SWITCH PANEL		–	–	–	–	–	
	37100-96J24-000	077	SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	※1	
	36620-93J02-000	073		5.0m	–	1		1	1	
③	36620-93J52-000		MAIN WIRING HARNESS	6.5m	–	–	–	–	–	
	36620-93J62-000			8.0m	–	–	–	–	–	1
	36620-94J01-000			6.5m	–	–	–	–	–	
	34200-93J12-000	021	TACHOMETER (FACE : WHITE)		–	1	–	1	1	
	34800-93J11-000	027	TRIM GAUGE (FACE : WHITE)		–	1	–	1	1	
④	38500-93J90-000	084	WARNING BUZZER						※1	1
	09407-08401-000		WARNING-BUZZER CLAMP						※1	1
	67320-93J00-000			8ft/2.44m						
	67320-93J10-000			10ft/3.05m						
	67320-93J20-000			12ft/3.66m						
	67320-93J30-000			14ft/4.27m						
⑤	67320-93J40-000		R/C CABLE (FOR THROTTLE AND SHIFT CABLES)	16ft/4.88m						2
	67320-93J50-000			18ft/5.49m						
	67320-93J60-000			20ft/6.10m						
	67320-93J70-000			22ft/6.71m						
	67320-93J80-000			24ft/7.32m						
	36620-93J10-000			2m						
	36620-93J40-000			3m						
	37860-87L00-000	080	TROLL MODE SWITCH PANEL				※2			

REMOTE-CONTROL KIT for DUAL ENGINE + SINGLE STATION

	Part number		Part name	Length	KIT: 1st Station 67000-93J15-000 BINNACLE-MOUNT CONTROL KIT	KIT: 1st Station 67000-93J59-000 BINNACLE-MOUNT CONTROL KIT	Total required quantity
①	67200-93J23-000	068	BINNACLE MOUNT R/C BOX		1	1	1
②	37100-96J14-000	078	DUAL IGNITION WITH E/S SWITCH		1	1	1
	36620-93J02-000	073		5.0m	–	2	
③	36620-93J52-000		MAIN WIRING HARNESS	6.5m	–	–	2
	36620-93J62-000			8.0m	–	–	
	36620-94J01-000			6.5m	–	–	
	34200-93J12-000	021	TACHOMETER (FACE : WHITE)		–	2	
	34800-93J11-000	027	TRIM GAUGE (FACE : WHITE)		–	2	
④	38500-93J90-000	082	WARNING BUZZER				2
	09407-08401-000		WARNING-BUZZER CLAMP				2
	67320-93J00-000	084		8ft/2.44m			
	67320-93J10-000			10ft/3.05m			
	67320-93J20-000			12ft/3.66m			
	67320-93J30-000			14ft/4.27m			
⑤	67320-93J40-000			16ft/4.88m			4
	67320-93J50-000			18ft/5.49m			
	67320-93J60-000			20ft/6.10m			
	67320-93J70-000			22ft/6.71m			
	67320-93J80-000			24ft/7.32m			
	36620-93J10-000			2m			
	36620-93J40-000			3m			
	37860-87L00-000	080	TROLL MODE SWITCH PANEL		※2		

These accessories in yellow painted are optional ones. Please select your best one depending on your rigging system.

※1 The side mount control box is equipped with an ignition switch, an emergency switch and warning buzzer with clamp.

※2 For more accurate speed control, please purchase the TACHOMETER (34200-93J50(40)) separately.

BINNACLE-MOUNT REMOTE CONTROL BOX

67200-93J13-000
Single-engine
Applicable model: DF8A-250

67200-93J23-000
Dual-engine
Applicable model: DF8A-250

FLUSH-MOUNT REMOTE CONTROL BOX

67200-93J32-000
Single-engine
Applicable model: DF8A-250

SPACER KIT FOR REMOTE CONTROL BOX

67500-93J00-000
for Single Binnacle-mount type
Applicable model: DF8A-250



67500-93J10-000
for Dual Binnacle-mount type
Applicable model: DF8A-250

SIDE-MOUNT REMOTE CONTROL BOX

67200-94J20-000
Single-engine. With warning buzzer
Applicable model: DF8A-30A

67200-93J50-000
Single-engine. With PTT switch
Applicable model: DF15A-250

67200-91J20-000
Single-engine
Applicable model: DF4-6

67200-89E40-000
Single-engine. With warning buzzer
Applicable model: DT30/40W

BATTERY LEAD

36625-93J10-000
6.7 meters
Applicable model: DF70-90A/150/175/200A/200-250

36625-93J00-000
6.7 meters
Applicable model: DF70-90A/150/175/200A/200-250

MAIN WIRING HARNESS

36620-93J52-000
5.0 meters for Control system
Applicable model: DF40A-250

36620-94L00-000
5.0 meters for Control system
Applicable model: DF25A/30A

36620-93J02-000
6.5 meters for Control system
Applicable model: DF40A-250

36620-93J62-000
8.0 meters for Control system
Applicable model: DF40A-250

36620-94J01-000
6.5 meters for Control system without monitor-signal wire, trim-sender wire and PTT-SW wire
Applicable model: DF8A/9.9B/15A/20A

36620-93J62-000
6.5 meters for Control system without monitor-signal wire, trim-sender wire and PTT-SW wire
Applicable model: DF25A/30A

MAIN WIRING HARNESS EXTENSION

36620-93J10-000
2.0 meters for Control system
Applicable model: DF9.9A-20A/Z/150T/Z/175T/Z/200T/Z-250T/Z

36620-93J40-000
3.0 meters for Control system
Applicable model: DF9.9A-20A/40A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

36620-SPECO-HSM
Harness main special length available on request

36620-SPEC1-05M
Engine loom 5m

36620-SPEC2-08M
Engine loom 8m

36620-SPEC3-12M
Engine loom 12m

COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM

IGNITION SWITCH PANEL

37100-96J00-000
Single ignition
Applicable model: DF9.9B-250

37100-99E00-000
Single ignition
Applicable model: DT30

EMERGENCY SWITCH PANEL

37803-96J04-000
Applicable model: DF9.9B-300AP

37803-99E04-000
Applicable model: DT30

IGNITION SWITCH PANEL

37100-96J24-000
Single ignition with Emergency-stop switch
Applicable model: DF9.9B-250

BATTERY LEAD

37100-96J14-000
Dual ignition with Emergency-stop switch
Applicable model: DF9.9B-250

LIGHTING SWITCH PANEL

37210-93J00-000
Applicable model: DF9.9B-250, DT30/40W

TROLL MODE SWITCH PANEL

37860-87L00-000
Applicable model: DF40A-140A/150TG/ZG/ 175TG/ZG/200A/AP/ 250AP/300AP

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

PTT SWITCH PANEL

37805-93J00-000
Applicable model: DF40A-250

WARNING BUZZER

38500-93J90-000
Applicable model: DF9.9A-300AP

THRU-DECK-HOSE ATTACHMENT

RIGHOSE-DF150-300
Suzuki rigging hose 1.5m and fittings to suit DF150–300

RIGHOSE-DF40-40
Suzuki rigging hose 1.5m and fittings to suit DF40–140

TWIN REMOCON ATTACHMENT KIT

38500-93J90-000
Applicable model: DT9.9A-20A/40A-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z,DT40W/WR

CLAMP BRACKET SET

41100-99J00-0EP
Applicable model: DF8A/9.9A

REMOTE-CONTROL ATTACHING KIT



67101-91J00-000
Applicable model: DF4-6

67130-94L00-000
Applicable model: DF25A/30A

67130-94L10-000
Applicable model: DF25ATH/DF30ATH

67130-99J00-000
Clamp bracket set (41100-99J00-0EP) is required for installing 67130-99J00-000.
Applicable model: DF8A/9.9A

67130-89L02-000
Applicable model: DF9.9B/15A/20A

67130-91L00-000
Applicable model: DT25K/30

67130-94402-000
Applicable model: DT40W

REMOTE CONTROL CABLE

67320-93J00-008
Remote Control Cable, 8'

67320-93J05-009
Remote Control Cable 9'

67320-93J10-010
Remote Control Cable 10'

67320-93J15-011
Remote Control Cable 11'

67320-93J20-012
Remote Control Cable 12'

67320-93J25-013
Remote Control Cable 13'

67320-93J30-014
Remote Control Cable 14'

67320-93J35-015
Remote Control Cable 15'

67320-93J40-016
Remote Control Cable 16'

67320-93J45-017
Remote Control Cable 17'

67320-93J50-018
Remote Control Cable 18'

67320-93J55-019
Remote Control Cable 19'

67320-93J60-020
Remote Control Cable 20'

67320-93J65-021
Remote Control Cable 21'

67320-93J70-022
Remote Control Cable 22'

67320-93J75-023
Remote Control Cable 23'

67320-93J80-024
Remote Control Cable 24'

67320-93J85-025
Remote Control Cable 25'

67320-93J90-026
Remote Control Cable 26'

67320-93J95-027
Remote Control Cable 27'

67320-93JAA-028
Remote Control Cable 28'

67320-93JAB-029
Remote Control Cable 29'

67320-93JAC-030
Remote Control Cable 30'

67320-93JAD-032
Remote Control Cable 32'

67320-93JAE-034
Remote Control Cable 34'

67320-93JAF-036
Remote Control Cable 36'

67320-93JAG-038
Remote Control Cable 38'

67320-93JXX-040
Remote Control Cable 40'

67320-93JXX-042
Remote Control Cable 42'

67320-93JXX_ _ _
Note: Additional sizes available on request

WATER SEPARATOR/FUEL FILTER

10 micron water separating filter with removable bowl and alloy head

99105-20005-WS1
Element fuel filter large

99105-20005-WSASY
Fuel filter assembly 90gph large
Applicable to all models

99105-20005-WSB
Fuel filter bowl clear with Viton seal
Applicable to all models

99105-20005-SKIT
Water screen Viton gasket and o-ring kit
Applicable to all models

99105-20005-WSH
Filter head assembly
Applicable to all models

Keep it real

SUZUKI MARINE GENUINE SPARE PARTS

Suzuki Marine invests millions in research and development to engineer parts of superior, long lasting quality. Keep up the performance, keep your Warranty, use only genuine Suzuki Marine Spare Parts, and keep it real.

suzukimarine.com.au suzukimarine.co.nz

SUZUKI
MARINE
WORLD'S BEST 4-STROKE

STEERING

63002-88L21-0EP
Applicable model: DF40A/50A

63002-88L11-0EP
Applicable model: DF60A/50AV/60AV

63002-87L12-0EP
Applicable model: DF70A-90A

63002-90J32-0EP
with adjustable steering damper
Applicable model: DF100A/115A

MAIN FEATURES

Tachometer with warning indicators

Three position angle adjustable bracket

Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

Power trim & tilt switch and throttle grip friction adjuster

TILLER HANDLE KIT

The conventional kits are also applicable.

63002-88L07-0EP
Applicable model: DF40A-60A

63002-87L04-0EP
Applicable model: DF70A-90A

63002-90J26-0EP
with adjustable steering damper
Applicable model: DF100A/115A

CONTENTS: Ignition switch, engine-stop switches, wiring harness, cables and grommets. TILLER HANDLE KITS are designed for easy installation for selected electric start models.

DUAL-ENGINE TIE-BAR

67600-90J00-000
Stainless steel
Applicable model: DF100A-140A

67600-93J00-000
Stainless steel
Applicable model: DF150-250

STEERING EXTENSION KIT

67630-93J00-HSM
for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)
Applicable model: DF150-250

STEERING CABLE SEAL

41161-94400-000
Applicable model: DF8A-250, DT25K-40W

STEERING-BRACKET ATTACHMENT

43755-87L00-000
Applicable model: DF70A/90A

43755-88L00-000
Applicable model: DF40A-60A

43755-94L00-000
Applicable model: DF25A-30A

43755-99J00-000
Applicable model: DF8A-20A

43755-96320-000
Applicable model: DT25K/30/40W

DRAG-LINK KIT

67700-87L01-000
Applicable model: DF70A-90A

67700-93J00-000
Applicable model: DF40A-60A/200-250

67700-96J00-000
Applicable model: DF150-175/200A/AP

67701-87J11-000
Applicable model: DF40A-60A/200-250

67701-87L01-000
Applicable model: DF70A-90A

67701-90J01-000
Applicable model: DF100A-140A

67701-96J00-000
Applicable model: DF150-175/200A/AP

67701-94420-000
Applicable model: DT25K/30

67701-94L00-000
Applicable model: DF25A/30A

67701-99J02-000
Applicable model: DF8A-DF20A

STEERING KIT

HYDRAULIC STEERING KIT

RIGSTR-291560
Baystar compact steering kit (semi-rigid nylon hose) 40HP–90HP

RIGSTR-291499
Baystar compact steering kit (same as 291561 - flexible O/B hose – plus free bulkhead fittings) 40HP–90HP

RIGSTR-291600
Seastar front mount steering kit (semi-rigid nylon hose) 100HP–300HP

RIGSTR-291499
Seastar front mount steering kit (same as 291601 – flexible O/B hose – plus free bulkhead fittings) 100HP–300HP

RISTR-DF40-115
Applicable model: DF40-115

RISTR-DF140-150
Applicable model: DF140-150

RISTR-DF175-200A
Applicable model: DF175–200A

RISTR-DF200-300
Applicable model: DF200–300

SIDE MOUNT HYDRAULIC STEERING KIT

RISTR-SM-DF40-150
Applicable model: DF40–150

SUZ-SE0973-S to SUZ-SE0973-XXL
Evolution soft shell jacket mens carbon lite – size S to XXL

SUZ-SB0100CC-S to SUZ-SB0100CC-XXL
Breathable Sardinia jacket black mens – size S to XXL

MUS-PMP24227-WHITE
Suzuki Marine polo shirt for office/internal staff – size S to XXXL

SUZ-SE0751-8 to SUZ-SE0751-16
Evolution soft shell jacket mens carbon lite – size 8 to 16

SUZ-SB010W0CC-08 to SUZ-SB010W0CC-18
Breathable Sardinia jacket black ladies – size 8 to 18

MUS-PMP24227-NAVY
Suzuki Marine polo shirt for workshop/service staff – size S to XXXL

99998-20070-2013 to 99998-20077-2013
Suzuki Marine mens shorts – size 30" to 44"

ELECTRICAL PARTS

ELECTRIC STARTER KIT

31000-94L01-000
Applicable model: DF25A/30A

31000-99J00-000
Applicable model: DF8A/9.9A

31000-89L02-000
Applicable model: DF9.9B/15A/20A
Converts MZ model into ME model.

RECEPTACLE KIT

39600-91J13-000
Applicable model: DF4-6

39600-94J01-000
Applicable model: DF8A/9.9A

39600-89L00-000
Applicable model: DF9.9B/15A/20A

41161-94400-000
Applicable model: DF8A-250, DT25K-40W

41161-94400-000
Applicable model: DF8A-250, DT25K-40W

RECTIFIER SET

32801-91J01-000
Applicable model: DF4-6

32801-96304-000
Applicable model: DT25K/30

32801-95J01-000
Applicable model: DF8A/9.9A

32801-89L00-000
Applicable model: DF9.9B/15A/20A

32801-94402-000
Applicable model: DT40W

STARTER MOTOR SET

31101-96320-0EP
Applicable model: DT30

COUNTER SELECT CONNECTOR



36612-98J01-000
Applicable model: DF200AP/250AP/300AP
Converts DF300AP/250AP to counter rotation specification.

36612-98J10-000
Regular select connector

BATTERY ISOLATOR LEAD SET

33830-98J11-000
Applicable model: DF150TG/ZG/175TG/ZG/200A/AP/250AP/300AP

FLYWHEEL

32102-96462-000
Applicable model: DT30

STARTING SWITCH & CABLE SET

33800-96304-000
Applicable model: DT30

BATTERY CHARGING KIT

32000-91J13-000
80W Applicable model: DF4-6

32000-94L00-000
80W Applicable model: DF25A/30A

32000-99J00-000
80W Applicable model: DF8A/9.9A

32000-89L00-000
80W
Applicable model: DF9.9B/15A/20A

ZINC ANODE FOR SALTWATER

55300-95500-000
Applicable model: DF8A/9.9A/40A-60A, DT25K-40W

55320-95311-000
Applicable model: DF40A-60A/150-300AP

55125-96310-000
Applicable model: DF25/R/Q

55321-90J01-000
Applicable model: DF50A/60AV/100A-140A

ALUMINUM ANODE FOR BRACKISH WATER, SALTWATER

55321-87J00-000
Applicable model: DF2.5–300AP DF9.9AK/15AK

55320-94900-000
Applicable model: DF60A-300AP

55321-95J00-000
Applicable model: DF2.5

55321-93J00-000
Applicable model: DF150-300AP

FUEL TANK

NOTE: These tanks do not meet US-EPA requirements.

65000-99100-000
12-litre plastic tank with no fuel-level gauge
Applicable model: DF4/5/6, DT9.9AK/15AK/25K/40WK (-K:For Gasoline)

65000-95D01-000
25-litre plastic tank with a fuel-level gauge
Applicable model: DF8A-140A,DT9.9AK-40W/WR/WK (-K:For kerosene)

65000-89L10-000
12-litre plastic tank
Applicable model: DF8A-20A

MAGNESIUM ANODE FOR FRESHWATER

55321-87J10-000
Applicable model: DF4-300AP,DT9.9A/15A

55321-94910-000
Applicable model: DF70A-300AP

REPLACEMENT FUEL CAP

NOTE: These tanks do not meet US-EPA requirements.

65520-99100-000
for 12-litre tank with no fuel-level gauge
Applicable model: DF5-20A/R,DT9.9AK/15AK/25K/40WK

65520-95D01-000
for 25-litre tank with a fuel-level gauge
Applicable model: DF8A-140A, DT9.9AK-40W/WR/WK

FUEL-HOSE SOCKET

65750-98505-000
Metal, inner diameter: 11.2mm
Applicable model: DF4-20A/R, DT9.9/K-40W/WR/WK

65750-87J11-000
Plastic, inner diameter: 6.6mm
Applicable model: DF4/8A-30A

65750-95500-000
Metal, inner diameter: 13.0mm
Applicable model: DF8A/R-140A, DT9.9AK-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)

65720-986B0-000
Plastic Applicable model: DF4

FUEL CONNECTOR (TANK SIDE)

65740-95D01-000
Outer diameter: 13 mm, 1/4"NPT
Applicable model: DF8A-140A, DT9.9/40W/WR

65740-99100-000
Outer diameter: 11 mm, 1/4"NPT
Applicable model: DF8A-140A, DT9.9/40W/WR up to 2013

SQUEEZE PUMP

65770-99J01-000
Small-in & Large-out
Applicable model: DF4-6/40WR

65770-90J11-000
Large-in & Large-out
Applicable model: DF9.9A-140A/40WR

65770-93J11-000
Large-in & Large-out
Applicable model: DF150-300AP

65770-90L01-000
Large-in & Small-out
Applicable model: DT9.9/15A/30/40W

SQUEEZE PUMP (Meets US-EPA requirements.)

65770-94J00-000
Small-in & Large-out
Applicable model: DF4/6

65770-90J01-000
Large-in & Large-out
Applicable model: DF8A-25

65770-93J02-000
Large-in & Large-out
Applicable model: DF150-300AP

FUEL-HOSE COMPONENT

65700-94JD1-000
for 12-litre plastic tank to engine
Applicable model: DF4-6

65700-93J02-000
for fuel tank to engine
Applicable model: DF150-300AP

65700-87J15-000
for 25-litre plastic tank to engine
Applicable model: DF8A-20A

65700-90J14-000
for 25-litre plastic tank to engine
Applicable model: DF40A-140A

65700-95D04-000
for 12-litre plastic tank to engine (gasoline)
Applicable model: DT9.9AK/15AK/25K/40WK

65700-96362-000
for 25-litre plastic tank to engine (kerosene)
Applicable model: DT9.9AK/15AK/25K/40WK

65700-94415-000
with fuel filter (gasoline)
Applicable model: DT9.9AK/15AK/25K/40WK

65700-94433-000
with fuel filter (kerosene) Only for P36 ver.
Applicable model: DT9.9AK/15AK

Fuel-hose component (Meets US-EPA requirements.)

65700-91J25-000
Applicable model: DF4/6

65700-87J24-000
Applicable model: DF8A-25

65700-88L03-000
Applicable model: DF40A-60A

FUEL-HOSE COMPONENT CHART



FUEL HOSE COMPONENT		SOCKET			HOSE				SQUEEZE PUMP	SOCKET			HOSE			
Part number	A length (mm)	Material	B I/D (mm)	Part number	C length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part number
65700-94JD1-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-99J00-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J02-000	2370	(no socket)	–	–	(no hose)	–	–	–	65770-93J11-000	2250	Large	9.0	14.0	(no socket)	–	–
65700-87J15-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J10-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-90J14-000	1250	(no socket)	–	–	(no hose)	–	–	–	65770-90J10-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-95D04-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-99J00-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	–	2250		7.3	12.5	Metal	13.0	65750-95500-000
65700-94415-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J10-000	2600		7.3	12.5	–	–	–
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	–	–		–	–	–	–	–
65700-91J23-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J00-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87J24-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J00-000	1100		7.3	12.5	Metal	13.0	65750-95500-000
65700-88L01-000	1280	(no socket)	–	–	(no hose)	–	–	–	65770-90J00-000	1100		7.3	12.5	Metal	13.0	65750-95500-000

MISC

99105-55-0055

Optional Panther unit Power Trim and Tilt Assembly to suit up to 55HP

Suitable up to 40hp models

99105-55-1200

Push button assembly

Applicable model: 99105-55-0055
(Power Trim and Tilt Assembly)

99105-55-55005

Complete actuator and motor assembly

Applicable model: 99105-55-0055
(Power Trim and Tilt Assembly)

99105-55-55022

Relay control assembly

Applicable model: 99105-55-0055
(Power Trim and Tilt Assembly)

99105-55-HYCL-001

Outboard Stabilizer Clip Set

Applicable model: All forward control engines/remote steering

PROPELLER

What is PROPELLER

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The boat and engine combination may have already been tested by your dealer or the boat manufacturer for the appropriate propeller size. Your Suzuki Dealer can assist you with the process to determine the correct propeller for your application.

Stainless Steel Propellers

Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel propeller is also fitted with a rubber cushion hub to help absorb vibration and shock should you strike a foreign object.

Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number is the number of blade, the second number details the diameter of the propeller and the third number is the pitch of the propeller.

The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.



Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.



Pitch

Pitch is used to describe the theoretical distance that a propeller “cork screws” through the water in inches of forward travel. In theory, an 18” pitch propeller would move ahead 18” with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the “slip factor,” the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150-200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150-200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150-200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator’s manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.

Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2" of the blade surface and extends to the blade tip.

Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the "barrel" of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the "barrel" of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.

HARDWARE FOR PROPELLER

APPLICABLE MODEL	STOPPER	SPACER	PROPELLER BUSH		HARDWARE KIT	CONTENTS OF HARDWARE KIT			
						SPACER	WASHER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	–	58120-97JA0-000	Press-In	N/A	–	–	58130-91JL0-000	09204-03003-000
DF4/5/6	57635-91JL0-000	–	58120-91JL0-000	Press-In	N/A	–	–	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	–	58120-93701-000	Press-In	N/A	–	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9B/15A/20A, DT9.9A/15A	57632-94J00-000	–	58120-89L00-000	Press-In	N/A	–	09160-12066-000	09141-12005-000	09204-02004-000
DF25	57632-95J00-000	–	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	–	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT40	57632-92L00-000	–	58120-88L01-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	–	58120-88L01-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF50AV/60AV	57635-90J01-000	–	*58105-90J00-000	Press-In	57630-94500-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L01-000	–	*58105-90J00-000 **58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100A/115A T model (Right-Hand-Rotation)	57635-90J01-000	57632-90J00-000			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF115A Z model (Counter-Rotation)	57635-92J01-000	–			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF140A	57635-92J01-000	–			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300AP	57632-93L01-000	–	***58105-93J00-000 ****58105-93J10-000	Press-In	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*58105-90J00 is for **58100-87Lxx, 58100-90Jxx, 58200-92J4x~92J9x** and **58200-92JAx~92JDx**. **58120-90J00 is for **58200-90J0x~90J3x** and **58200-92J0x~92J3x**.
***58105-93J00 is for **58200-96Jxx**. ****58105-93J10 is for **58200-93Jxx, 58200-93Lxx** and **58300-93Jxx**.

These bold letters indicate a proper part number in P34 & 35. Please refer to next pages.



PROPELLER

MODEL	TYPE	MATERIAL	BLADE	DIAMETER	PITCH	ROTATION*	DESCRIPTION	PART NUMBER
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4	C601	Aluminum	3	7 1/2	6	RR		58110-91JL0-019
DF5	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91JM0-019
	C701	Aluminum	3	7 1/2	7	RR		58110-91JN0-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF9.9A	M821	Aluminum	3	9 1/4	8	RR	Thick	58100-90L40-019
	M901	Aluminum	3	9 1/4	9	RR		58100-89L20-019
	M911	Aluminum	3	9 1/4	9	RR	Thick	58100-90L11-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-89L30-019
	M1011	Aluminum	3	9 1/4	10	RR	Thick	58100-90L21-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF9.9B		Aluminum	4	10	5	RR	High thrust	58100-94JA1-019
DF15A		Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF20A		Aluminum	3	9 1/4	8	RR	Thick	58100-90L40-019
		Aluminum	3	9 1/4	9	RR		58100-89L20-019
DT9.9A		Aluminum	3	9 1/4	9	RR	Thick	58100-90L50-019
DT15A		Aluminum	3	9 1/4	10	RR		58100-89L30-019
		Aluminum	3	9 1/4	10	RR	Thick	58100-90L60-019
		Aluminum	3	9 1/4	11	RR		58100-89L40-019
		Aluminum	3	9 1/4	12	RR		58100-89L50-019
DF25	P911	Aluminum	3	10 1/4	9	RR	Thick	58100-96371-019
DT25	P1001	Aluminum	3	10 1/4	10	RR		58100-96411-019
DT30	P1011	Aluminum	3	10 1/4	10	RR	Thick	58100-96471-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-96421-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L20-019
	P1211	Aluminum	3	10 1/4	12	RR	Thick	58100-96481-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-91L30-019
	P1311	Aluminum	3	10 1/4	13	RR	Thick	58100-96491-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D01-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96461-019
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
DT40	S1200	Aluminum	3	11 5/8	12	RR		58100-88LA0-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88LB0-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L83-019
	SS1600	Aluminum	3	11 1/8	16	RR		58200-88L30-000
DF50AV		Aluminum	3	14	9	RR		58100-87LG1-019
DF60AV		Aluminum	3	14	11	RR		58100-87LH0-019
		Aluminum	3	13 3/4	12	RR		58100-87LJ0-019
		Aluminum	3	14	13	RR		58100-87LA0-019
		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
		Aluminum	3	13 3/4	17	RR		58100-87LC0-019
DF70A		Aluminum	3	14	13	RR		58100-87LA0-019
DF80A		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
DF90A		Aluminum	3	13 3/4	17	RR		58100-87LC0-019
		Aluminum	3	13 3/4	19	RR		58100-87LD0-019
		Aluminum	3	13 3/4	21	RR		58100-87LE0-019
		Aluminum	3	13 3/4	23	RR		58100-87LF0-019
		Aluminum	3	13 1/2	15	RR		58100-90JE0-019
		Aluminum	3	14	17	RR		58100-90JA0-019
		Aluminum	3	14	19	RR		58100-90JB0-019
		Aluminum	3	14	21	RR		58100-90JC0-019
		Aluminum	3	14	23	RR		58100-90JD0-019
		Stainless	3	14 1/4	18	RR		58200-90J00-000
		Stainless	3	14 1/4	20	RR		58200-90J10-000
		Stainless	3	14 1/4	22	RR		58200-90J20-000
		Stainless	3	14 1/4	24	RR		58200-90J30-000
		Stainless	3	13 7/8	15	RR		58200-92J40-000
		Stainless	3	13 7/8	17	RR		58200-92J50-000
		Stainless	3	13 7/8	19	RR		58200-92J60-000
		Stainless	3	13 7/8	21	RR		58200-92J70-000
		Stainless	3	13 7/8	23	RR		58200-92J80-000
		Stainless	3	13 7/8	25	RR		58200-92J90-000

MODEL	MATERIAL	BLADE	DIAMETER	PITCH	ROTATION*	PART NUMBER
DF100A	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
DF115A	Aluminum	3	14	17	RR	58100-90JA0-019
DF140A	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	14 1/4	18	CR	58200-92J00-000
	Stainless	3	14 1/4	20	CR	58200-92J10-000
	Stainless	3	14 1/4	22	CR	58200-92J20-000
	Stainless	3	14 1/4	24	CR	58200-92J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
	Stainless	3	13 7/8	17	CR	58200-92JA0-000
	Stainless	3	13 7/8	19	CR	58200-92JB0-000
	Stainless	3	13 7/8	21	CR	58200-92JC0-000
	Stainless	3	13 7/8	23	CR	58200-92JD0-000
DF150	Stainless	3	16	15	RR	58200-93L80-000
DF175	Stainless	3	16	17	RR	58200-93L00-000
DF200	Stainless	3	16	18 1/2	RR	58200-93L10-000
DF225	Stainless	3	16	20	RR	58200-93L20-000
DF250	Stainless	3	16	21 1/2	RR	58200-93L30-000
DF250AP	Stainless	3	16	23	RR	58200-93L40-000
DF300AP	Stainless	3	16	24 1/2	RR	58200-93L50-000
	Stainless	3	16	26	RR	58200-93L60-000
	Stainless	3	16	27 1/2	RR	58200-93L70-000
	Stainless	3	16	15	CR	58200-93LE0-015
	Stainless	3	16	17	CR	58200-93LE0-000
	Stainless	3	16	18 1/2	CR	58200-93LA0-000
	Stainless	3	16	20	CR	58200-93LB0-000
	Stainless	3	16	21 1/2	CR	58200-93LC0-000
	Stainless	3	16	23	CR	58200-93LD0-000
	Stainless	3	16	24 1/2	CR	58200-93LF0-000
	Stainless	3	16	26	CR	58200-93LG0-000
	Stainless	3	15 1/2	17	RR	58200-96J00-000
	Stainless	3	15 1/4	19	RR	58200-96J10-000
	Stainless	3	15	21	RR	58200-96J20-000
	Stainless	3	14 3/4	23	RR	58200-96J30-000
	Stainless	3	14 1/2	25	RR	58200-96J40-000
	Stainless	3	14 1/2	27	RR	58200-96J50-000
	Stainless	3	15 1/2	17	CR	58200-96JA0-000
	Stainless	3	15 1/4	19	CR	58200-96JB0-000
	Stainless	3	15	21	CR	58200-96JC0-000
	Stainless	3	14 3/4	23	CR	58200-96JD0-000
	Stainless	3	14 1/2	25	CR	58200-96JE0-000
	Stainless	3	14 1/2	27	CR	58200-96JF0-000
	Stainless	4	15 1/4	18	RR	58300-93J00-000
	Stainless	4	15 1/4	20	RR	58300-93J10-000
	Stainless	4	15 1/4	22	RR	58300-93J20-000
	Stainless	4	15 1/4	24	RR	58300-93J30-000
	Stainless	4	15 1/4	26	RR	58300-93J40-000
	Stainless	4	15 1/4	20	CR	58300-93JA0-000
	Stainless	4	15 1/4	22	CR	58300-93JB0-000
	Stainless	4	15 1/4	24	CR	58300-93JC0-000
	Stainless	4	15 1/4	26	CR	58300-93JD0-000

**RR:Right-Hand-Rotation model, CR:Counter-Rotation model*

CARE & MAINTENANCE ITEM

SPARK PLUGS

NGK-XXXX EG. NGK-BKR6E
Full range available

FLUSH-HOSE ATTACHMENT

55181-95200-000
Applicable model: DF4-6/40A-60A, DT25K/30/40W

17917-87L00-000
Applicable model: DF8A-300A

PAINT

99999-10109-0EP-EA-DG
Pressure pack Suzuki shadow black spray paint single can

GREASE

99000-25350-000
WATER RESISTANT GREASE EP2
250 grams (8.8 oz)

99000-25011-000
SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal

SPLASH COVERS

99105-65017-HSM
Cover outboard splash
Applicable model: DF2.5

99105-65007-HSM
Cover outboard splash
Applicable model: DF4/5/6

99105-65014-HSM
Cover outboard splash
Applicable model: DF8A/9.9A

99105-65014-SPECL
Cover outboard full combo
Applicable model: DF8A/9.9A L (20")

99105-65016-HSM
Cover outboard splash
Applicable model: DT9.9/15 up to 2013

99105-65020-HSM
Cover outboard splash
Applicable model: DT9.9A/15A

99105-65020-SPECS
Cover outboard full combo
Applicable model: DT9.9A/15A S (15")

99105-65009-HSM
Cover outboard splash
Applicable model: DF15

99105-65018-FCL
Cover outboard full
Applicable model: DF15A/20A L (20")

99105-65018-FCS
Cover outboard full
Applicable model: DF15A/20A S (15")

99105-65018-HSM
Cover outboard splash
Applicable model: DF15A/20A

99105-65018-SPECS
Cover outboard full combo
Applicable model: DF15A/20A S (15")

99105-65010-ELT
Cover outboard splash
Applicable model: DF25 V-Twin Electric Start

99105-65010-MAN
Cover outboard splash
Applicable model: DF25 V-Twin Manual Start

99105-65021-HSM
Cover outboard splash
Applicable model: DF25/30A

99105-65011-HSM
Cover outboard splash
Applicable model: DT30

99105-65000-ELT
Cover outboard splash
Applicable model: DF30 electric start up to 2007

99105-65000-MAN
Cover outboard splash
Applicable model: DF30 manual start up to 2007

99105-65013-HSM
Cover outboard splash
Applicable model: DT40

99105-65013-SPECL
Cover outboard full combo
Applicable model: DT40

99105-65001-HSM
Cover outboard splash
Applicable model: DF40/50 up to 2009

99105-65015-HSM
Cover outboard splash
Applicable model: DF40A/50A/60A

99105-65015-SPECL
Cover outboard full combo
Applicable model: DF40A/50A/60A L (20")

99105-65002-HSM
Cover outboard splash
Applicable model: DF60/70 up to 2009

99105-65012-FCL
Cover outboard full combo
Applicable model: DF70/80/90A L (20")

99105-65012-HSM
Cover outboard splash
Applicable model: DF70/80/90A

99105-65012-SPECL
Cover outboard full combo
Applicable model: DF70A/80A/90A L

99105-65012-SPECL W/H
Cover outboard full combo
Applicable model: DF70A/80A/90A L with hydrofoil

99105-65012-SPECX
Cover outboard full combo
Applicable model: DF70A/80A/90A X

99105-65003-HSM
Cover outboard splash
Applicable model: DF90/100/115 up to 2012

99105-65019-HSM
Cover outboard splash
Applicable model: DF100A/115A/140A

99105-65019-SPECX
Cover outboard full combo
Applicable model: DF100A/115A/140A X (25")

99105-65004-HSM
Cover outboard splash
Applicable model: DF140 up to 2012

99105-65006-HSM
Cover outboard splash
Applicable model: DF150/175

99105-65006-SPECL
Cover outboard full combo
Applicable model: DF150/175 L (20")

99105-65006-SPECX
Cover outboard full combo
Applicable model: DF150/175 X (25")

99105-65022-HSM
Cover outboard splash
Applicable model: DF200A

99105-65005-HSM
Cover outboard splash
Applicable model: DF200/225/250

99105-65005-SPECX
Cover outboard full combo
Applicable model: DF200/225/250 X (25")

99105-65005-SPECXX
Cover outboard full combo
Applicable model: DF200/225/250 XX (30")

99105-65008-HSM
Cover outboard splash
Applicable model: DF250AP/300/300AP

99105-65008-SPECX
Cover outboard full combo
Applicable model: DF250AP/300/300AP X (25")

99105-65008-SPECXX
Cover outboard full combo
Applicable model: DF250AP/300/300AP XX (30")

Note: Additional splash covers on request

CARE & MAINTENANCE ITEM

CARE ITEM

MOT16-701-00-DG
Motul Brake Clean 400mL

MOT16-702-00-DG
Motul Shine & Go Silicone Clean 400mL

MOT16-703-00-DG
(Aerosol) Ez Lube Multiprotect 250mL

MOT16-711-00-DG
Carbu Clean 400mL

MOT16-714-00-DG
Motul Valve Expert 250mL

MOT16-715-00-DG
Motul Parts Clean 840mL

MOT16-830-004-DG
Tech Grease 300 400mL

MOT18-840-00-DG
Engine Clean 300mL

MOT18-841-00-DG
Diesel/Fuel System Clean 300mL

99000-25140-000
MOLY PASTE
50 grams (1.7 oz)

99000-22B22-000
Hypoid gear oil SAE90 API GL-5. 400ml

99000-22810-000
PTT fluid – metal can with a cap. 1 litre

LIQUID GASKET

93691-80030-000
Silicone seal KE45T. 100 grams

99000-31140-000
1207B (BLACK). 100 grams (3.4 oz)

THREAD LOCK

99000-32020-000
Thread lock – 1333B (RED)
50 grams (1.7 oz)

99000-32160-000
Thread lock – 1342 (BLUE)
50 grams (1.7 oz)

2-STROKE OILS

2-STROKE ENGINE OIL "PREMIUM"
Mineral, 1 litre, Equivalent to TCW-3

99000-21250-BOTTLE
1L Dispenser Bottle for CCI Super

99000-21260-EA-DG
Suzuki Super CCI 4L

99000-21250-IL
CCI Super Oil 1L

MOT19-435-05-DG
Motul Outboard 2T SYNTHETIC 5Ltr

4-STROKE OILS

4-STROKE ENGINE OIL
SAE 10W-40 Semi-Synthetic
5 litre FCW

MOT19-451-01-DG
Suzuki Marine Oil 4T 10W40 FC-W 1Ltr

MOT19-451-05-DG
Suzuki Marine Oil 4T 10W40 FC-W 5Ltr

MOT19-451-60-DG
Suzuki Marine Oil 4T 10W40 FC-W 60Ltr

MOT19-451-208-DG
Suzuki Marine Oil 4T 10W40 FC-W 208Ltr

NEW SUZUKI APPROVED GENUINE OIL

- Specialty designed oil for SUZUKI 2&4 stroke outboard motor.
- High quality 2stroke motor oil provide proper viscosity to be stability when temperature change and keep excellent oxidation.
- This 4 stroke outboard oil is formulated with special additives and high quality base oil.
- Outstanding performance for wear protection, viscosity stability, low volatility and excellent rust protection and corrosion.

**Availability may differ in some regions. Please contact Thai Suzuki Motor Co, Ltd. for more information and making an order.*

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL.

Please note that these oils are not available in some countries.

Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988.

Extending this trusted relationship led to the development of new Suzuki Marine Oils.

These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.

**4 kinds(1L,5L,60L,208L) of Engine oil volume and 3kinds (0.35L,1L,60L) of Gear oil are available. Please ask your local MOTUL dealer.*

GEAR OIL

MOT16-501-01-DG
Motul Gear Oil 300 1L

MOT19-501-01-DG
Suzuki Marine Gear Oil GL-5 1Ltr

MOT19-501-60-DG
Suzuki Marine Gear Oil GL-5 60Ltr

MOT19-502-035
SAE 90, API GL-5 0.35Ltr

MARKETING ITEMS

BRO-SUZ-DT9.9-DT40
2-stroke brochure

BRO-SUZ-DF2.5-DF30
Lightweight brochure

BRO-SUZ-DF40-DF90
Mid range brochure



BRO-SUZ-DF100-DF300
Performance range brochure

99000-79N12-175
Genuine rigging parts and accessories brochure

See Marketing department

POSTER – KEEP IT REAL SERVICE



See Marketing department

See Marketing department

SERVICE ITEMS



See Service department



SUZ-WAR-5YR
5 year warranty manual



SUZ-WAR-3YR
3 year warranty manual



99999-C3052-015
2015 Suzuki 4-stroke outboard specifications poster

suzukimarine.com.au
suzukimarine.co.nz

50th 1965-2015 Anniversary

DISCLAIMER: The Haines Group Pty Ltd reserves the right to modify the information contained on this brochure at any time without notice and, subject only to any statutory obligations, provides the information in this brochure "as is" without warranty of any kind. While The Haines Group Pty Ltd makes all reasonable efforts to ensure that all material in this brochure is correct, it may contain technical or typographical errors, and therefore The Haines Group Pty Ltd does not assume any responsibility for the accuracy or authenticity of any information contained in this brochure.

APPLICATION CHART

Item	DF300AP	DF250AP	DF250		DF225		DF200		DF200AP	DF200A		DF175A				DF150				DF140A		DF115A			DF100A	DF90A		DF80A	DF70A	
	DF300AP	DF250AP	DF250T	DF250Z	DF225T	DF225Z	DF200T	DF200Z	DF200AP	DF200AT	DF200AZ	DF175TG	DF175ZG	DF175T	DF175Z	DF150TG	DF150ZG	DF150T	DF150Z	DF140AT	DF140AZ	DF115AS	DF115AT	DF115AZ	DF100AT	DF90AT	DF90ATH	DF80AT	DF70AT	DF70ATH
NEW MULTI FUNCTION GAUGE	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
SUZUKI MODULAR INSTRUMENT SYSTEM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
ANALOG INSTRUMENT			◆	◆	◆	◆	◆	◆		◆	◆		◆	◆	◆			◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
ELECTRONIC THROTTLE AND SHIFT SYSTEM																														
ELECTRONIC REMOTE CONTROL KIT	◆	◆							◆			◆	◆			◆	◆													
ELECTRONIC REMOTE CONTROL BOX	◆	◆							◆			◆	◆			◆	◆													
BATTERY LEAD	◆	◆							◆			◆	◆			◆	◆													
MECHANICAL REMOTE CONTROL SYSTEM																														
MECHANICAL REMOTE CONTROL KIT			◆	◆	◆	◆	◆	◆		◆	◆			◆	◆			◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	
MECHANICAL REMOTE CONTROL BOX			◆	◆	◆	◆	◆	◆		◆	◆			◆	◆			◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	
BATTERY LEAD			◆	◆	◆	◆	◆	◆		◆	◆			◆	◆			◆	◆							◆	◆	◆	◆	◆
REMOTE-CONTROL CABLE			◆	◆	◆	◆	◆	◆		◆	◆			◆	◆			◆	◆	◆	◆	◆	◆	◆	◆	◆				
REMOTE-CONTROL ATTACHING KIT																														
STEERING																														
TILLER HANDLE KIT																							◆		◆	◆		◆	◆	
DUAL-ENGINE TIE-BAR			◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆					
STEERING EXTENSION KIT			◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		◆			◆
STEERING – BRACKET ATTACHMENT																														
DLUG-LINK KIT			◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	
ELECTRICAL PARTS																														
COUNTER SELECT CONNECTOR	◆	◆							◆																					
BATTERY ISOLATOR LEAD SET	◆	◆							◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆											
ELECTRIC STARTER KIT (ONLY FOR MZ type)																														
BATTERY CHARGING KIT (ONLY FOR MZ type)																														
RECTIFIER SET (ONLY FOR MZ type)																														
RECEPTACLE KIT (ONLY FOR MZ type)																														
ANODE	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
FUEL SYSTEM	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

DF60A			DF60AV		DF50A			DF40A			DF40AS	DF30A	DF30A			DF25A	DF25A	DF25A			DF20A	DF20A	DF20A		DF15A	DF15A		DF9.9A	DF9.9A	DF8A	DF8A	DF6	DF5	DF4	DF2.5	DT40	DT40	DT30	DT30	DT15A	DT9.9A
DF60AT	DF60ATH	DF60AQH	DF60AV	DF60AVTH	DF50AT	DF50ATH	DF50AQH	DF40AT	DF40ATH	DF40AQH	DF40AST	DF30A	DF30AT	DF30ATH	DF30AQH	DF25A	DF25AR	DF25AT	DF25ATH	DF25AQH	DF20A	DF20AR	DF20AT	DF20ATH	DF15A	DF15AR	DF15ATH	DF9.9A	DF9.9AR	DF8A	DF8AR	DF6	DF5	DF4	DF2.5	DT40W	DT40WR	DT30	DT30R	DT15A	DT9.9A
●	●	●	●	●	●	●	●	●	●	●	●		●				●	●				●	●			●															
●	●	●	●	●	●	●	●	●	●	●	●		●				●	●				●	●			●															
●	●	●	●	●	●	●	●	●	●	●	●		●				●	●				●	●			●			●		●						●		●		
●			●		●			●			●		●					●					●																		
●			●		●			●			●		●				●	●				●	●			●			●		●						●				
●			●		●			●					●				●	●				●	●			●			●		●						●				
												●		●	●	●				●	●			●	●			●		●												
					●																																				
	●	●		●		●	●		●	●		●		●	●	●				●	●			●		●	●		●							●		●		
●			●		●			●			●		●				●	●				●	●			●			●		●						●				
												●			●	●	●			●	●	●			●		●		●	●	●	●										
												●			●	●	●			●	●	●			●		●		●	●	●	●	●	●								
												●			●	●	●			●	●	●			●		●		●	●	●	●	●	●	●		●	●	●	●		
												●			●	●	●			●	●	●			●		●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

SUZUKI MOTOR CORPORATION reserves the right to add any improvement to change the design or to discontinue any item at anytime with notice. Some items might not be compatible with local standards or statutory requirements. Please check with your local AUTHORISED SUZUKI DEALER for details at the time of ordering. Actual colours might differ from those appearing in this catalog.
PART NUMBER: 99000-79N12-175.

YOUR AUTHORISED SUZUKI DEALER:

SUZUKI
MARINE
WORLD'S BEST 4-STROKE